



## MYCAP™ Bottle Assemblies

### Product Information

MYCAP™ bottle closures are a one-piece, ready-to-use aseptic fluid transfer system.

The single-use design features integral tubing and a robust platinum-cured silicone seal.

MYCAP™ bottle assemblies include Nalgene® square media bottles, are gamma irradiated and ready for immediate use.



### Features

- Ready-to-use
- Single-use
- One-For-All silicone closure
- One-piece construction
- Easy customization

### Benefits

- Save time  
Eliminate errors
- No contamination risk
- Universal validation  
Robust & reliable performance
- Integral closure  
Easy to handle
- Configure MYCAP™  
to your process needs

### Applications

MYCAP™ is ideal for critical fluid-handling applications.

MYCAP™ bottle assemblies are gamma irradiated and ready for immediate use for:

- Buffer and Media Storage
- Buffer and Media Addition
- Bioreactor Feeds
- Sample Collection
- Bulk Harvest
- Product Pooling
- Bulk Intermediate Hold

### Reduce Risk & Improve Performance

With MYCAP™ bottle closures, every use is its first use.

There is no risk of batch-to-batch or product-to-product cross contamination.

MYCAP™ bottle assemblies pass studies of container closure by bacterial immersion.

### One-For-All Closure System

At last – a truly universal bottle closure system.

All MYCAP™ closure systems are constructed using the same high performance platinum-cured silicone seal regardless of the tubing material, tubing size, port configuration, bottle type or bottle size.

Ease validation and reduce regulatory work by implementing MYCAP™ throughout the production process.

### Easy Implementation

Alternative bottle closure systems include a number of reusable components which are costly to implement and manage.

Regulatory agencies demand a scientifically sound validation strategy for parts cleaning to avoid non-host or batch-to-batch contamination. The physical condition and life cycle of reused parts must be closely monitored to ensure cleaning efficacy.

Select pre-assembled and single-use MYCAP™ bottle assemblies to bypass the burden of validation and parts management.

### Reliable Performance

The platinum-cured silicone seal of MYCAP™ is suitable for a range of applications.

The closure to the bottle is secure so long as the seal maintains its physical properties. Silicone maintains its elastomeric properties from -70° to 260° Celcius.

Validation demonstrates a leak-free seal when MYCAP™ are installed with torqueforce from 4in-lbs to 60in-lbs.

### Manufacturing Environment

MYCAP™ bottle closures are constructed and packaged in an ISO 7 clean room.

Monthly cleaning with a schedule of LpH®, Vesphene® and Spor Klenz® reduce and control viable organisms. Viable organisms are measured quarterly to monitor the effectiveness of the clean room management and cleaning procedures and to be compliant to EU GMPs and ISO14698.

Line clearance, weekly cleaning of equipment and work surfaces and monthly cleaning of the cleanroom reduce and control non-viable particles. Non-viable readings are taken weekly to ensure 0.5 µm/m<sup>3</sup> and 5.0 µm/m<sup>3</sup> particles are within the ISO Class 7 acceptance criteria, per ISO 14644-1.

### Quality Assurance

MYCAP™ bottle assemblies are manufactured in accordance with the key principles of cGMP.

Each MYCAP™ bottle closure is issued with a unique lot number on its' Certificate of Compliance. The lot number provides full traceability to all components used and operations performed.

The Certificate of Conformance for MYCAP™ bottle assemblies reports compliance to:

- USP <87>: Biological reactivity tests, in Vitro
- USP <88>: Biological reactivity tests, in Vivo
- USP <788>: Particulate matter
- USP <85>: Endotoxin
- Sterility Assurance (SAL) 10<sup>-6</sup> per ISO11137

### Shelf Life

MYCAP™ bottle closures, components and component resins have shelf-life that exceeds 2 years.

### TSE|BSE Risk

The components and materials used in construction of MYCAP™ bottles assemblies are treated at high temperatures and undergo chemical reactions which far exceed the stringent requirements laid down in the documents CPMP|BWP|1230|98 and WHO | CPS | VPH | 95.145 and | or EMA | 410 | 01, rev 3. These processing conditions are considered sufficient to inactivate TSE & BSE transmitters.


## Technical Data

### Specifications

Elastomer Seal	Platinum-cured silicone
Tubing	Platinum-cured silicone or C-Flex® formulation 374
Cap Material	Polycarbonate (not fluid contact)
Bottle Style	Nalgene® PETG bottle
Tube Ports	Inlet   Outlet, Air vent - 25 mm PES membrane MiniSart®
Fittings	Luer® Lock or tube plug
Sterilization	Gamma Irradiated

C-Flex® is a registered trademark of Saint-Gobain Performance Plastics Corporation  
Luer® is a registered trademark of Becton Dickinson  
Dow Corning® is a registered trademark of Dow Corning Corporation  
LpH®, Vesphene®, Spor Klenz® are registered trademarks of STERIS Corporation  
Nalgene® is a registered trademark of ThermoFisher Scientific

# MYCAP™ Bottle Assembly Anatomy



## Ordering Information

### Series A MYCAP™ Bottle Assemblies

#### Universal Design Features:

- Optimized Tube Lengths including dip tube for fluid transfer
- Includes Nalgene® PETG Media Bottle
- Platinum-Cured Silicone Tubing (Dow-Corning® PHARMA-50)
- Gamma Irradiated
- Individually Double Bagged

Part Number	Description	Bottle Size	Port 1	Port 2	Qty/Pack
MYCAPNGPG0030A	2 port MYCAP™ bottle closure with 30mL bottle	30 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3.75"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0060A	2 port MYCAP™ bottle closure with 60mL bottle	60 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3.25"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0125A	2 port MYCAP™ bottle closure with 125mL bottle	125 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 8"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0250A	2 port MYCAP™ bottle closure with 250 mL bottle	250 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 6.5"; capped male, Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0500A	2 port MYCAP™ bottle closure with 500 mL bottle	500 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 11.25; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG1000A	2 port MYCAP™ bottle closure with 1000 mL bottle	1000 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 9.5"; capped male, Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1

## Series B MYCAP™ Bottle Closures

### Universal Design Features:

- Optimized Tube Lengths including dip tube for fluid transfer
- Includes Nalgene® PETG Media Bottle
- C-Flex® tubing (formulation 374)
- Gamma Irradiated
- Individually Double Bagged

Part Number	Description	Bottle Size	Port 1	Port 2	Qty/Pack
MYCAPNGPG0030B	2 port MYCAP™ bottle closure with 30mL bottle	30 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 15.75"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0060B	2 port MYCAP™ bottle closure with 60mL bottle	60 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 15.25"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0125B	2 port MYCAP™ bottle closure with 125mL bottle	125 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 14"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0250B	2 port MYCAP™ bottle closure with 250 mL bottle	250 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 18.5"; capped male, Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0500B	2 port MYCAP™ bottle closure with 500 mL bottle	500 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 17.25; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG1000B	2 port MYCAP™ bottle closure with 1000 mL bottle	1000 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 21.75"; capped male, Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1

## Series C MYCAP™ Bottle Assemblies

### Universal Design Features:

- Optimized Tube Lengths for including dip tube for fluid transfer
- Includes Nalgene® PETG Media Bottle
- Platinum-Cured Silicone Tubing (Dow-Corning® PHARMA-50)
- QUICKSEAL® aseptic disconnect
- Gamma Irradiated
- Individually Double Bagged

Part Number	Description	Bottle Size	Port 1	Port 2	Qty/Pack
MYCAPNGPG0030C	2 port MYCAP™ bottle closure with 30mL bottle	30 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3.75"; QUICKSEAL® at 1.75"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0060C	2 port MYCAP™ bottle closure with 60mL bottle	60 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3.25"; QUICKSEAL® at 2.25"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0125C	2 port MYCAP™ bottle closure with 125mL bottle	125 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 8"; QUICKSEAL® at 2"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0250C	2 port MYCAP™ bottle closure with 250 mL bottle	250 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 6.5"; QUICKSEAL® at 3"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0500C	2 port MYCAP™ bottle closure with 500 mL bottle	500 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 11.25; QUICKSEAL® at 2"; capped male Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG1000C	2 port MYCAP™ bottle closure with 1000 mL bottle	1000 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 9.5"; QUICKSEAL® at 2"; capped male, Luer® fitting <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1

## Series D MYCAP™ Bottle Assemblies

### Universal Design Features:

- Optimized Tube Lengths for including dip tube for fluid transfer
- Includes Nalgene® PETG Media Bottle
- C-Flex tubing (formulation 374)
- QUICKSEAL® aseptic disconnect
- Gamma Irradiated
- Individually Double Bagged

Part Number	Description	Bottle Size	Port 1	Port 2	Qty/Pack
MYCAPNGPG0030D	2 port MYCAP™ bottle closure with 30mL bottle	30 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 15.75"; QUICKSEAL® at 1.75"; plug at end <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0060D	2 port MYCAP™ bottle closure with 60mL bottle	60 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 15.25"; QUICKSEAL® at 2.25"; plug at end <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0125D	2 port MYCAP™ bottle closure with 125mL bottle	125 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 14"; QUICKSEAL® at 2"; plug at end <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0250D	2 port MYCAP™ bottle closure with 250 mL bottle	250 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 18.5"; QUICKSEAL® at 2.5"; plug at end <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG0500D	2 port MYCAP™ bottle closure with 500 mL bottle	500 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 17.25; QUICKSEAL® at 2"; plug at end <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1
MYCAPNGPG1000D	2 port MYCAP™ bottle closure with 1000 mL bottle	1000 mL	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 21.75"; QUICKSEAL® at 1.5"; plug at end <b>Bottle Side:</b> To Bottom; dip tube tip	<b>Tube Size:</b> 1/8" ID × 1/4" OD <b>Cap Side:</b> 3"; Minisart® hydrophobic PES filter <b>Bottle Side:</b> None	1

# Sales and Service Contacts

For further contacts, visit [www.sartorius-stedim.com](http://www.sartorius-stedim.com)

## Europe

### Germany

Sartorius Stedim Biotech GmbH  
August-Spindler-Strasse 11  
37079 Goettingen  
Phone +49.551.308.0

Sartorius Stedim Systems GmbH  
Robert-Bosch-Strasse 5-7  
34302 Guxhagen  
Phone +49.5665.407.0

### France

Sartorius Stedim FMT S.A.S.  
ZI des Paluds  
Avenue de Jouques - CS 91051  
13781 Aubagne Cedex  
Phone +33.442.845600

Sartorius Stedim France SAS  
ZI des Paluds  
Avenue de Jouques - CS 71058  
13781 Aubagne Cedex  
Phone +33.442.845600

### Austria

Sartorius Stedim Austria GmbH  
Modecenterstrasse 22  
1030 Vienna  
Phone +43.1.7965763.18

### Belgium

Sartorius Stedim Belgium N.V.  
Rue Colonel Bourg 105  
1030 Bruxelles  
Phone +32.2.756.06.80

### Hungary

Sartorius Stedim Hungária Kft.  
Kagyló u. 5  
2092 Budakeszi  
Phone +36.23.457.227

### Italy

Sartorius Stedim Italy S.r.l.  
Via dell'Antella, 76/A  
50012 Antella-Bagno a Ripoli (FI)  
Phone +39.055.63.40.41

### Netherlands

Sartorius Stedim Netherlands B.V.  
Phone +31.30.60.25.080  
[filtratie.nederland@sartorius-stedim.com](mailto:filtratie.nederland@sartorius-stedim.com)

### Poland

Sartorius Stedim Poland Sp. z o.o.  
ul. Wrzesinska 70  
62-025 Kostrzyn  
Phone +48.61.647.38.40

### Russian Federation

LLC "Sartorius Stedim RUS"  
Vasilyevsky Island  
5<sup>th</sup> line 70, Lit. A  
199178 St. Petersburg  
Phone +7.812.327.53.27

### Spain

Sartorius Stedim Spain, S.A.U.  
Avda. de la Industria, 32  
Edificio PAYMA  
28108 Alcobendas (Madrid)  
Phone +34.913.586.098

### Switzerland

Sartorius Stedim Switzerland AG  
Ringstrasse 24 a  
8317 Tagelswangen  
Phone +41.52.354.36.36

### U.K.

Sartorius Stedim UK Ltd.  
Longmead Business Centre  
Blenheim Road, Epsom  
Surrey KT19 9 QQ  
Phone +44.1372.737159

## Americas

### USA

Sartorius Stedim North America Inc.  
5 Orville Drive, Suite 200  
Bohemia, NY 11716  
Toll-Free +1.800.368.7178

### Argentina

Sartorius Argentina S.A.  
Int. A. Ávalos 4251  
B1605ECS Munro  
Buenos Aires  
Phone +54.11.4721.0505

### Brazil

Sartorius do Brasil Ltda  
Avenida Senador Vergueiro 2962  
São Bernardo do Campo  
CEP 09600-000 - SP- Brasil  
Phone +55.11.4362.8900

### Mexico

Sartorius de México, S.A. de C.V.  
Libramiento Norte de Tepetzotlan s/n,  
Colonia Barrio Tlacateco,  
Municipio de Tepetzotlan,  
Estado de México,  
C.P. 54605  
Phone +52.55.5562.1102  
[leadsmex@sartorius.com](mailto:leadsmex@sartorius.com)

### Peru

Sartorius Peru S.A.C.  
Avenue Alberto del Campo 411  
Floor 12 - The Office  
15076 - San Isidro, Lima  
Phone +51.1.441 0158

## Asia | Pacific

### Australia

Sartorius Stedim Australia Pty. Ltd.  
Unit 5, 7-11 Rodeo Drive  
Dandenong South Vic 3175  
Phone +61.3.8762.1800

### China

Sartorius Stedim Biotech (Beijing) Co. Ltd.  
No. 33 Yu'an Road  
Airport Industrial Park Zone B  
Shunyi District, Beijing 101300  
Phone +86.10.80426516

Sartorius Stedim (Shanghai)  
Trading Co., Ltd.  
3rd Floor, North Wing, Tower 1  
No. 4560 Jinke Road  
Zhangjiang Hi-Tech Park  
Pudong District  
Shanghai 201210, P.R. China  
Phone +86.21.6878.2300

Sartorius Stedim Biotech (Beijing) Co. Ltd.  
Guangzhou Representative Office  
Unit K, Building 23  
Huihua Commerce & Trade Building  
No. 80 Xianlie Middle Road  
Guangzhou 510070  
Phone +86.20.37618687 | 37618651

### India

Sartorius Stedim India Pvt. Ltd.  
#69/2-69/3, NH 48, Jakkasandra  
Nelamangala Tq  
562 123 Bangalore, India  
Phone +91.80.4350.5250

### Japan

Sartorius Stedim Japan K.K.  
4th Fl., Daiwa Shinagawa North Bldg.  
8-11, Kita-Shinagawa 1-chome  
Shinagawa-ku, Tokyo, 140-0001 Japan  
Phone +81.3.4331.4300

### Malaysia

Sartorius Stedim Malaysia Sdn. Bhd.  
Lot L3-E-3B, Enterprise 4  
Technology Park Malaysia  
Bukit Jalil  
57000 Kuala Lumpur, Malaysia  
Phone +60.3.8996.0622

### Singapore

Sartorius Stedim Singapore Pte. Ltd.  
10 Science Park Rd  
The Alpha #02-13/14  
Singapore Science Park II  
Singapore 117684  
Phone +65.6872.3966

### South Korea

Sartorius Korea Biotech Co., Ltd.  
8th Floor, Solid Space B/D,  
PanGyoYeok-Ro 220, Bundang-Gu  
SeongNam-Si, GyeongGi-Do, 463-400  
Phone +82.31.622.5700



▶ [www.sartorius-stedim.com](http://www.sartorius-stedim.com)